

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1           1. (Currently amended) A method for facilitating the delegation of  
2 operations involved in providing digital signatures to a signature server, the  
3 method comprising:  
4           allowing a user to authenticate the signature server prior to sending a  
5 message to the signature server;  
6           receiving the message from the user at the signature server, the message  
7 including an item to be signed on behalf of the user by the signature server;  
8           authenticating the user at the signature server;  
9           determining whether the user is authorized to sign the item by  
10 communicating with an authority server that is separate from the signature server;  
11           looking up a private key for the user at the signature server; and  
12           signing the item with the private key for the user.

1           2-3 (Canceled).

1           4. (Currently amended) The method of ~~claim 3~~claim 1, wherein  
2 determining whether the user is authorized to sign the item involves looking up an  
3 authorization for the user based upon an identifier for the user as well as an  
4 identifier for an application to which the user will send the signed item.

1           5-6 (Canceled).

1           7. (Previously presented) The method of claim 1, further comprising  
2     returning the signed item to the user so that the user can send the signed item to a  
3     recipient.

1           8. (Original) The method of claim 1, wherein the method further  
2     comprises configuring the signature server to accommodate a new user by:  
3         receiving a request from an authorized entity to add the new user;  
4         generating a key pair for the new user, including a new user private key  
5     and a new user public key;  
6         communicating with a certification authority to obtain a certificate for the  
7     new user based on the key pair; and  
8         storing the certificate and the key pair for the new user in a location that is  
9     accessible by the signature server to enable the signature server to sign items on  
10    behalf of the new user.

1           9. (Original) The method of claim 1, wherein the method further  
2     comprises configuring the signature server to delete an old user by:  
3         receiving a request from an authorized entity to delete the old user;  
4         notifying a certification authority to revoke a certificate for the old user;  
5     and  
6         removing the private key for the old user from the signature server, so that  
7     the signature server can no longer sign items on behalf of the old user.

1           10. (Previously presented) The method of claim 1, wherein the method  
2     further comprises archiving the message and the signed item at the signature  
3     server.

1           11. (Original) The method of claim 1, wherein the method further  
2 comprises forwarding the signed item to an archive server in order to be archived.

1           12. (Canceled) A computer-readable storage medium storing instructions  
2 that when executed by a computer cause the computer to perform a method for  
3 facilitating the delegation of operations involved in providing digital signatures to  
4 a signature server, the method comprising:  
5           allowing a user to authenticate the signature server prior to sending a  
6 message to the signature server;  
7           receiving the message from the user at the signature server, the message  
8 including an item to be signed on behalf of the user by the signature server;  
9           authenticating the user at the signature server;  
10           determining whether the user is authorized to sign the item by  
11 communicating with an authority server that is separate from the signature server;  
12           looking up a private key for the user at the signature server; and  
13           signing the item with the private key for the user.

1           13-14 (Canceled).

1           15. (Currently amended) The computer-readable storage medium of ~~claim~~  
2 ~~14~~claim 12, wherein determining whether the user is authorized to sign the item  
3 involves looking up an authorization for the user based upon an identifier for the  
4 user as well as an identifier for an application to which the user will send the  
5 signed item.

1           16-17 (Canceled).

1           18. (Previously presented) The computer-readable storage medium of  
2 claim 12, wherein the method further comprises returning the signed item to the  
3 user so that the user can send the signed item to a recipient.

1           19. (Original) The computer-readable storage medium of claim 12,  
2 wherein the method further comprises configuring the signature server to  
3 accommodate a new user by:  
4           receiving a request from an authorized entity to add the new user;  
5           generating a key pair for the new user, including a new user private key  
6 and a new user public key;  
7           communicating with a certification authority to obtain a certificate for the  
8 new user based on the key pair; and  
9           storing the certificate and the key pair for the new user in a location that is  
10 accessible by the signature server to enable the signature server to sign items on  
11 behalf of the new user.

1           20. (Original) The computer-readable storage medium of claim 12,  
2 wherein the method further comprises configuring the signature server to delete an  
3 old user by:  
4           receiving a request from an authorized entity to delete the old user;  
5           notifying a certification authority to revoke a certificate for the old user;  
6 and  
7           removing the private key for the old user from the signature server, so that  
8 the signature server can no longer sign items on behalf of the old user.

1           21. (Previously presented) The computer-readable storage medium of  
2 claim 12, wherein the method further comprises archiving the message and the  
3 signed item at the signature server.

1           22. (Original) The computer-readable storage medium of claim 12,  
2 wherein the method further comprises forwarding the signed item to an archive  
3 server in order to be archived.

1           23. (Currently amended) An apparatus that facilitates delegating  
2 operations involved in providing digital signatures, comprising:  
3           a signature server;  
4           an authentication mechanism that is configured to allow a user to  
5 authenticate the signature server prior to sending a message to the signature server  
6           a receiving mechanism within the signature server that is configured to  
7 receive the message from the user, the message including an item to be signed on  
8 behalf of the user by the signature server;  
9           an authenticating mechanism configured to authenticate the user at the  
10 signature server;  
11           a determining mechanism configured to determine whether the user is  
12 authorized to sign the item by communicating with an authority server that is  
13 separate from the signature server;  
14           a lookup mechanism within the signature server that is configured to look  
15 up a private key for the user; and  
16           a signing mechanism within the signature server that is configured to sign  
17 the item with the private key for the user.

1           24-25 (Canceled).

1           26. (Currently amended) The apparatus of ~~claim 25~~claim 23, wherein the  
2 authorization mechanism is configured to determine whether the user is  
3 authorized to sign the item by looking up an authorization for the user based upon

4 an identifier for the user as well as an identifier for an application to which the  
5 user will send the signed item.

1 27-28 (Canceled).

1 29. (Previously presented) The apparatus of claim 23, further comprising a  
2 sending mechanism within the signature server that is configured to return the  
3 signed item to the user so that the user can send the signed item to a recipient.

1 30. (Original) The apparatus of claim 23, further comprising an  
2 initialization mechanism that is configured to:  
3 receive a request from an authorized entity to add a new user;  
4 generate a key pair for the new user, including a new user private key and  
5 a new user public key;  
6 communicate with a certification authority to obtain a certificate for the  
7 new user based on the key pair; and to  
8 store the certificate and the key pair for the new user in a location that is  
9 accessible by the signature server to enable the signature server to sign items on  
10 behalf of the new user.

1 31. (Original) The apparatus of claim 23, further comprising a deletion  
2 mechanism that is configured to:  
3 receive a request from an authorized entity to delete an old user;  
4 notify a certification authority to revoke a certificate for the old user; and  
5 to  
6 remove the private key for the old user from the signature server, so that  
7 the signature server can no longer sign items on behalf of the old user.

1           32. (Previously presented) The apparatus of claim 23, further comprising  
2   an archiving mechanism that is configured to archive the message and the signed  
3   item at the signature server.

1           33. (Original) The apparatus of claim 23, further comprising an archiving  
2   mechanism that is configured to forward the signed item to an archive server in  
3   order to be archived.